

PORSCHE CAYENNE LED DRL Lights Install Manual

Products Features:

1. Innovation 3-IN-1 design: LED DRL lights, LED side indicator lights, and LED position lights.
2. LED daylight guide DRL technology.
3. 5 times brighter and longer lifetime than original halogen fog lights.
4. Energy saving, lower electricity and fuel consumption.
5. ECE R87 approved.

Note: Please read this instruction before you begin the install operation. Incorrect installation will cause damage to your car. If you are not about any step in this instruction, please contact your dealer or ask help from a professional mechanic.

1. Open the hood and disconnect the negative terminal of battery installation. Make sure that all lamps, air conditioner and other devices are switched off.

Note: Test the LED lights with a 12V power to make sure the lights work normally, before you start the installation.

2. Use a pry tool to pop out the stock side indicator/Position light and disconnect it, no need to remove the front bumper.

Note: Don't use a screwdriver because you may unintentionally scratch the front bumper.



3. Replace with the new LED DRL lights exactly the same way as you removed the stock ones (each socket is plug and play).



4. Find the ACC/Ignition power in engine room, connect the red wire to ACC. Route the main harness properly in the engine room, and connect to the driver side and passenger side LED DRL lights (harness to LED DRL light is plug and play).

Note: Please bind up all harnesses together so that they won't move around loosely, otherwise the harness may break or short circuit, and accident, electric shocks or fire may occur.



5. Turn on the ACC/Ignition to see if the light is working properly or not. Enjoy your driving with new LED DRL lights.



Note

- Daytime running lights (DRL) are not substitute for low beam at dawn/dusk or during darkness.
- The light lens could be clouded when the outside temperature is cold, this is normal and should go away in warm weather.
- Thanks for your purchase of Vindstar LED DRL.

Accessories:

LED DRL Lamp: 2 PCS

Harness: 1PCS

Canbus/Resistor: 2PCS

Strapping tape: 4PCS